1953 ANNUAL INDEX

Volume 25—January to December

Author Index

A

Albright, Stanley L.
"Designing Springs
Compression Springs," Sept., 134
Extension Springs," Oct., 222
Torsion Springs," Nov., 172

Allen, C. S. and Harris Shapiro—"Remote Rotational Positioning," Apr., 243

Amos, Stephen E.—"Self-Adjusting Belt Guider," Nov., 142

Archibald, Frank R.—"A Look at Hydrostatic Thrust Bearings," Sept., 170

Ault, E. Stainley and William J. Graff, Jr.—"Numerical Analysis of Damped Vibrating Systems," May, 169

B

Baltrukonis, J. H.—"Design of Thin Cantilever Beams," July, 173

Baring, J. A.—"Control of Moving Webs," Sept., 151

Bayer, C. H. and W. L. Healy—"Simplified Drafting Practice," May, 110

Bernhard, Rudolph K.—"Three-Mass Space Oscillator," June, 157

Bolz, H. A.—"Designing for Low Maintenance," Feb., 114

Bolz, Roger W.—"Processes and Costs," July, 112

Boner, C. J.—"Basic Properties of Lubricating Greases," May, 129

Briggs, A. C. and N. Sag—"Charts Simplify Hoisting Drum Design," Apr., 265

Brooke, Eric—"Automatic Relay Control," Apr., 154

C, D, E

Carlson, Richard M.—"Helicopter Drive Design," Aug., 126

Christensen, L. M.—"Press-Extruded Forgings," July, 124

Daniloff, Michael—"Angle-True Motion," May, 153

Dooley, James L.—"High-Pressure Pneumatics," Apr., 237

Dunk, A. C. and A. S. Hall—"Four-Bar Linkages," Apr., 233

Durelli, A. J. and R. L. Lake—"Stresses in Rotating Parts," July, 128

Elrod, S. B.—"Simplified Pictorial Drawing," Mar., 128

Ernst, Walter—"Hydraulic Servo," Feb., 123

F, G

Falk, E. B.—"Pros and Cons of Hydraulically Actuated Clutches," Aug., 183

Felstein, Milton—"Providing Adequate Power in Computer Drives," Jan., 156

Feng, R. H. and E. L. Richmond—"Graphical Methods for Determining Beam Deflections," Sept., 177

Ferar, Montgomery and Carl W. Sundberg—"Styling with Plastics," June, 155

Franck, Robert J.—"Evaluating Cast Design," Mar., 104

Freiberg, Leo and John L. Moody—"Packaged Power," Aug., 163

Gerla, M. K.—"Improving Fatigue Life," Jan., 171

Graff, William J. Jr. and E. Stanley Ault,—"Numerical Analysis of Damped Vibrating Systems," May, 169

Gray, Albert Woodruff
"Essentials of a Valid Patent," Sept., 147
"Engineering License Laws," Oct., 137

Green, E. A.—"Simplicity—Key to Producibility," Nov., 112

Greer, Edward M.
"Hydraulic Accumulators
Their Principles and Uses," Nov., 140
Nonseparator Designs," Dec., 248

Griffin, R. F.—"First Conference on Mechanisms: Designing Cams with the Aid of Computers," Dec., 209

Grodzinski, Paul—"Eccentric Gear Mechanisms," May, 141

Gunthorp, Seth—"Design of Glued Joints," Oct., 193

Gutman, Alfred S.—"Mechanical Linearizer," May, 175

H

Hadekel, R.
"Hydraulic Control Systems
General Circuit Problems," Apr., 185
Open-Center Systems," May, 163
Pilot and Electrical Control," June, 168
Automatic-Sequence Systems," July, 159
"Swashplate Mechanisms," Feb., 141

Hall, Allen S.—"First Conference on Mechanisms: Mechanisms and Their Classification," Dec., 174

Hall, A. S. and A. C. Dunk—"Four-Bar Linkages," Apr., 233

Hall, A. S. and A. R. Holowenko
"Cam Curvature
Reciprocating In-Line Flat Faced Follower," Aug., 170
Reciprocating Inclined Flat Faced Follower and Reciprocating Roller Follower," Sept. 162
Oscillating Roller Follower, Flat-Faced Follower and Reciprocating Roller Follower with Reciprocating Cam," Nov., 148

Healy, W. L. and C. H. Bayer—"Simplified Drafting Practice," May, 110

Hieber, George E.
"Hole Fits," Jan., 116
"Power Screws," Nov., 128

Holowenko, A. R. and A. S. Hall
"Cam Curvature
Reciprocating In-Line Flat Faced Follower," Aug., 170
Reciprocating Inclined Flat-Faced Follower and Reciprocating Roller Follower," Sept., 162
Oscillating Roller Follower, Flat-Faced Follower and Reciprocating Roller Follower with Reciprocating Cam," Nov., 148

Holowenko, A. R.—"First Conference on Mechanisms: Recognition and Treatment of Acceleration," Dec., 180

Holt, Clare—"Redesign for Economy," June, 164

K, L

King, Robert—"Low Pressure Laminates," Mar., 112

Kinnard, I. F.—"Successful Product Design," June, 108

Kinney, Edward S.—"Magnetic Tape Drive," Oct., 219

Kraus, Charles E.—"New Approaches to Variable-Speed Drives," Dec., 232

Kraus, R. A. and K. S. Rangasami—"Graphical Linkage Analysis," June, 177

Lamb, V. A. and W. H. Metzger—"Designing Electroformed Parts," Sept., 124

Lake, R. L. and A. J. Durelli—"Stresses in Rotating Parts," July, 128

Lane, John F—"Perspective Drawing," Jan., 106

Lee, F. W. M.—"Simplified Limit System," Aug., 116

Longstreet, James R.—"First Conference on Mechanisms: Systematic Correlation of Motions," Dec., 215

M, N

Malcolm, D. G. and G. L. Marshall—"Human Factors in Machine Indexing," Nov., 143
Mann, W. H.—"Torsional Deflection," Nov., 179
Marshall, G. L. and D. G. Malcolm—"Human Factors in Machine Indexing," Nov., 143
Martin, Louis D.—"Designing Instrument Gear Trains," May, 120
Marvin, Philip R.—"Developing New Products," Sept., 114
Menke, George M.
"Gear Ratio Logarithms (Data Sheet)
Part 1—Combinations of 16 to 120 Teeth," Feb., 177
Part 2—Combinations for 121 to 150 Teeth," Mar., 173
Metter, Charles W.—"Reducing Costs Through Design," May, 158
Metzger, W. H. and V. A. Lamb—"Designing Electroformed Parts," Sept., 124
Millstone, Sidney D.
"Electric Analogies for Hydraulic Analysis
Tubing Characteristics," Jan., 166
Applying Analogy Techniques," Feb., 131
Mills, Kenneth N.—"Selection and Application of Roller Bearings," Apr., 248
Modrovsky, Joseph—"Evaluating Moments of Inertia by Graphical Techniques," Aug., 185
Moody, John L. and Leo Freiberg—"Packaged Power" Aug., 163
Nickson, Philip T.
"Linkage Design," July, 137
"First Conference on Mechanisms: a Simplified Approach to Linkage Design," Dec., 196
Nightingale, James M.—"Analyzing Nonlinear Servos," Aug., 139

P, R

Packer, Leo S.—"An Exact Computing Linkage," Sept., 171
Pajerie, M. J.—"Hard Vinyl Plastics," Dec., 169
Peyrebrune, H. E.—"First Conference on Mechanisms: Application and Design of Noncircular Gears," Dec., 185
Pike, Eugene W. and Thomas R. Silverberg—"Assigning Tolerances for Maximum Economy," Sept., 139
Piper, Richard S.—"Sealers as Engineering Materials," Oct., 158
Price, H. A.—"Acceleration Testing Centrifuge," Aug., 182
Rangasami, K. S. and R. A. Kraus—"Graphical Linkage Analysis," June, 177
Richmond, E. L. and R. H. Feng—"Graphical Methods for Determining Beam Deflections," Sept., 177
Roach, Arvid E.—"Centrifugal Pumps," June, 183
Roberts, R. W.—"Magnetic Amplifiers," Apr., 171
Roubal, A. J.—"Dry Rolling Bearings," June, 131
Rzeppa, A. H.—"Universal Joint Drives," Apr., 162
Rosenblatt, M. and D. F. Wilcock, "Nomographic Method for Sleeve Bearing Design," Aug., 143

S, T, U

Sag, N. and A. C. Briggs—"Charts Simplify Hoisting Drum Design," Apr., 265
Saari, Oliver—"Designing Right-Angle Helical Gears," July, 145
Saelman, B.—"Designing Cylinders and Struts," Aug., 133
Sankey, G. O.—"Plastic Models for Vibration Analysis," May, 125
Saxon, A. F.—"Multistage Sealing," Mar., 170
Schack, William—"Plastics Extrusions," Mar., 145
Shainin, Dorian
"Quality Control Methods—Their Use in Design
Determining Practical Tolerances," Jan., 150
Ascertaining Machine Capability," Feb., 160
Trouble-Shooting Design Defects," Mar., 165
Operations Research," May, 176
Shapiro, Harris and C. S. Allen—"Remote Rotational Positioning," Apr., 243
Sherwood, R. S.—"How to Prevent Oil Film Whirl in Journal Bearings," Dec., 163
Silverberg, Thomas R. and Eugene W. Pike—"Assigning Tolerances for Maximum Economy," Sept., 139
Sloane, W. W.
"Controlling Inertia," July, 154
"First Conference on Mechanisms: Utilizing Irregular Gears for Inertia Control," Dec., 193
Smedley, Carl R.—"Specification of Color in Finishes," Oct., 187
Soong, William E.—"Determining Moments of Inertia of Nonsymmetrical Components," May, 181
Sonneman, George—"Analyzing Beam Vibration," June, 123
Spector, Leo F.—"Applying Electric Heat," Dec., 142
Stamp, Robert J.—"Telescoping Tubes," Feb., 155
Stark, H. J.—"Plastic Ducting," July, 172
Stedfeld, Robert L.
"A Designer's Guide to Vitreous Coatings Service Properties," Jan., 141
Metal Selection, Processing and Design," Feb., 166
"Design Properties of Materials,
Properties and Design," Oct., 138
Strength in Torsion," Nov., 161
Stoddart, David A.
"Polydyne Cam Design
Part 1," Jan., 121
Part 2," Feb., 146
Part 3," Mar., 149
Strasser, Federico—"Joining Stampings," Jan., 163
Strub, R. A.—"Spindle Drag Pump," July, 149
Sundberg, Carl W. and Montgomery Ferar—"Styling with Plastics," June, 155
Theilig, E. W.—"Synchronized Load Control," Dec., 221
Toulmin, H. A., Jr.—"What You Should Know About the New Patent Law," Oct., 215
Tripoli, Philip—"Predicting Casting Costs," June, 139
Tuplin, W. A.—"Dynamic Loads on Gear Teeth," Oct., 203
Uniechowski, S. R.—"Static Balancing," Oct., 229

V, W

Vanden Berg, R. V.—"Finishes for Aluminum," Oct., 177
Vandeman, J. E. and J. R. Wood—"Modifying Starwheel Mechanisms," Apr., 255
Varnum, Edward C.—"Projecting Data," Mar., 123
Ward, M. V. and N. J. Wells—"Critical Design Factors for High-Strength Steels," Oct., 149
Wells, N. J. and M. V. Ward—"Critical Design Factors for High-Strength Steels," Oct., 149
Wilcock, D. F. and M. Rosenblatt—"Nomographic Method for Sleeve Bearing Design," Aug., 143
Wilson, George A., Jr.—"Deep-Hole Drilling," Aug., 178
Wilson, Warren E., "Clearance Design," Feb., 127
Wood, J. R. and J. E. Vandeman—"Modifying Starwheel Mechanisms," Apr., 255

Subject Index

A

Abrasive belts, in turbine blade grinder, June 136
Acceleration, determination of, in mechanisms, Dec. 180
Acceleration testing, Sept. 206
Accumulators, hydraulic, design of, Dec. 248
principles and uses, Nov. 140
Actuator, linear, uses ball screw, Dec. 426
Adhesives, Jan. 184; Feb. 188; July 224
bonding metals with, Oct. 193
Alloys, high-temperature, selection of, Dec. 382
Aluminum and alloys, Apr. 348; May 253; June 192;

July 196; Oct. 234; Dec. 266
for automobile radiators, July 184
Amplifiers, Oct. 284, 404; Nov. 217, 232
magnetic, Mar. 186; Dec. 298
magnetic, for machine control, Apr. 171
Analogies, electric, for hydraulic systems, Jan. 166; Feb. 131
Analyzing metal wear, Nov. 266
Arbor, locked by expansion, Sept. 122
Automation, July 261; Dec. 254
Axles, trailer, provide straight tracking, Dec. 162

B

Backlash eliminator, Apr. 316
Balancer, electronic, Nov. 310
Balancing, production, design for, June 330
static, Oct. 229
Bar machine, single-spindle automatic, Aug. 162
Batteries, June 206; Nov. 236
power-hauling unit, Sept. 192
Beam deflection, determining graphically, Sept. 177
Beam vibration, analysis of, June 123
Beams, thin cantilever, design of, July 173
Bearing alloy, Dec. 302
Bearings, airframe control, May 168
air lubricated, Apr. 272
antifriction, cause radio interference, July 106
ball, Mar. 185; June 208, 210; Nov. 213; Dec. 275, 282, 296
hydrostatic thrust, July 122, 134; Sept. 170
miniature, May 194; Dec. 318
needle, July 208
pivoted shoe for hydraulic pumps, Oct. 197
rod-end, Nov. 214
roller, May 246; Aug. 218; Sept. 218; Dec. 286
roller, have increased capacity, Nov. 196
roller, preloaded with set-screws, July 123
roller, selection and application, Apr. 248
sleeve, Jan. 115; Mar. 188; Sept. 346; Nov. 335
sleeve, failure analysis, June 318
sleeve, nomographic design of, Aug. 143
sleeve, preventing oil film whirl in, Dec. 163
sleeve, temperatures in, Sept. 150
toggle-end, require no lubrication, June 131
Bellows, Jan. 136
Belts, abrasive, in turbine blade grinder, June 136
conveyor, Apr. 366
conveyor, serves 64 years, Sept. 108
guider, self-adjusting, Nov. 142
transmission, Feb. 202, 240; April 228; Sept. 228
Bending, pipe and tube, June 133
Bimetals, performance, fundamentals, Aug. 274
Blowers, Jan. 177; Sept. 220
Books, Jan. 214; Feb. 216; Mar. 211; Apr. 306; May 224; June 230; July 304; Aug. 334; Sept. 336; Oct. 442; Nov. 326; Dec. 418
Boring, Oct. 416
Brakes, Jan. 180; May 119; June 194; Sept. 176, 220
for high inertia loads, June 240
hysteresis, for tensioning, May 117
solenoid-actuated, Oct. 201
Brass (see copper and alloys)
Brazing, Mar. 111; Oct. 286
high temperature, Dec. 365
Bronze (see copper and alloys)
Burring machine, Nov. 304

C

Calculator, electronic, May 236, 238
Cam and linkage produce motion in two planes, July 123
Cam curvature, Nov. 148
Cam, disk, curvature design, Aug. 170
Cam followers, Apr. 279
design of, Sept. 162
Cams, Oct. 450
design of, Nov. 148
design of, by polydyne method, Jan. 121; Feb. 146; Mar. 149
designing, with computers, Dec. 209
Capacitors, Feb. 195
Carbide, cemented, Apr. 363
Carbon disk seals valve, Dec. 162
Casters, Dec. 294
Casting machine, May 138
Casting, continuous steel, Dec. 256
Castings, design for economy, June 164
die, simplify drill design, July 133
ductile-iron, Sept. 146
light alloy, used in chain saw, June 134
permanent mold, Jan. 284; Mar. 111
predicting costs of, June 139
sand, Jan. 284
sand, evaluating design of, Mar. 104
sand, molds made automatically, Nov. 202
sealed by synthetic resin, Sept. 204
shell molded, Oct. 134
Centrifuge for acceleration testing, Aug. 182
Chain, conveyor, Jan. 186
transmission, June 202; July 195, 196
Circuit breakers, Apr. 353; Nov. 218, 228, Dec. 284
air, low voltage, May 139
hydraulic, June 116
Circuits, packaged, May 118
Clad metals, Apr. 276
Clamps, Mar. 188; Sept. 121; Oct. 263
cable, Feb. 189
Cleaning, May 248; Dec. 136
ultrasonic, Sept. 108
Cleaning machine, Dec. 231, 408
Clothes dryer, incorporates music-box, June 138
Clutches, Feb. 193; 220; May 119; June 198, 204; July 195, 206; Aug. 207, 226, 346; Sept. 176, 348; Oct. 472
all-steel, used in teletypewriter, Nov. 176
constant-torque, Dec. 161
electrodynamic, Apr. 161
for helicopter drive, Aug. 126
hydraulically actuated, Aug. 183
magnetic fluid, Apr. 314
magnetic overrunning, June 242
oil-actuated multiple disk, June 282
overrunning, July 312
slip, Apr. 161, 319
spring, May 234
Clutch-pulley combination automatically takes up wear, Dec. 424
Coatings (see also finishes)
Coatings, protective, Mar. 180, 188; Oct. 244, 284; Nov. 226; Dec. 276, 322
protective, vitreous, Jan. 141; Feb. 166
Cobalt alloy, Dec. 284
Collector rings, Aug. 208
Columbium, Dec. 250
Communication equipment, Oct. 404, 405
Commutators, Sept. 216
Component design, standardization of, Dec. 378
Components, hydraulic, design for reliability, Sept. 266
Compression springs, design of, Sept. 134
Compressors, July 183
Computer components, Oct. 240, 288, 404; Dec. 284
Computer drives, design of, Jan. 156

Computer elements, magnetic decision, Sept. 110
Computers, Oct. 240, 244; Nov. 196, 243; Dec. 138
aid in designing cams, Dec. 209
applying to machine control, Oct. 324
electronic, Sept. 108, 186, 200, 202
Connectors, electric, Jan. 180; Feb. 195, 196; Mar. 181; Apr. 279; May, 188; June 192; July 210; Aug. 220; Oct. 266, 276; Nov. 213, 214; Dec. 278, 300, 312
Contactors, Apr. 284; Oct. 290; Dec. 280
control wound rotor motors, Apr. 422
Contacts, Oct. 264; Nov. 232
Control assemblies, electric, Feb. 200; Mar. 181, 182
Control, automatic spacing, Apr. 262
differential pressure, pneumatic, Aug. 212
Control systems, electric, July 206; Aug. 216
electric, automatic relay, Apr. 154
electric, coal loading, Apr. 182
electric, display on wheels, July 188
electric, for pumping system, June 176
electric, rotational positioning, Apr. 243
electronic, Aug. 222
electronic, operates milling machine, Dec. 253
electronic, regulate nuclear reactor, Sept. 188
feedback, Apr. 386
feedback, eliminate crane swing, Aug. 164
feedback, for aircraft brakes, Aug. 125
feedback, nonlinear, analysis of, Aug. 139
for flight testing, Sept. 206
hydraulic, June 168
hydraulic, July 159; Dec. 221
hydraulic, design of, Apr. 185
hydraulic, design of, May 163
hydraulic, electrical and pilot control, June 168
moving webs, Sept. 151
pneumatic, May 187, 192, 198
pneumatic, for high pressures, May 174
pneumatic, for jet engines, July 182
prevent vehicle skids, Sept. 108
Controls, automatic, Nov. 182
cable, minimize backlash, Nov. 125
mechanical, Sept. 220
photoelectric, Oct. 280
pneumatic, Jan. 178
Converter, frequency, Dec. 274
Conveyors, Feb. 202; Mar. 192; May 262; Nov. 188
for passenger transportation, June 255
Convertiplane, Sept. 198
Copper and alloys, Feb. 245; Aug. 229; Dec. 286, 324
continuous-cast shapes, June 129
Corrosion, measurement of, Aug. 196
Corrosion-resistant alloys, May 151, 253
Cost control through design, July 112
Cost reduction, designing for, May 158
Counters, Jan. 192, 194; Feb. 194, 197; Mar. 183, 192; Sept. 218; Oct. 278, 280, 293
decade, Sept. 110
Couplings, can be used as manual clutch, June 238
for angular positioning, May 234
shaft, Feb. 191; Mar. 184; May 190; Aug. 123, 212; Sept. 346; Nov. 335
shaft, damp torsional vibration, July 312
shaft, magnetic, Dec. 424
shaft, prevent torque reversals, July 308
Cylinders, hydraulic, Mar. 190, 192; July 198, 210; Aug. 209
hydraulic, eliminate bulldozer pushbeam, July 132
hydraulic, have floating piston rods, Nov. 124
hydraulic, used in casting machine, May 138
maximum strength, design for, Aug. 133
Cylinders, pneumatic, Mar. 186; June 200; July 216; Nov. 212
pneumatic, operates index table, May 136

D

Data, projecting, Mar. 123
Deflection, torsional, finding, Nov. 179
Dehumidifiers, July 135
Design, of successful products, June 108
Dials, Aug. 232
Diaphragms, June 206
Differentials, July 194
Domestic machines, Sept. 313; Oct. 405, 408; Dec. 250, 398
Drafting equipment, Jan. 139; May 208; June 212, 214, 216; July 228, 232, 235; Aug. 189, 240, 248; Sept. 235, 245, 248; Oct. 294, 302; Nov. 248, 315; Dec. 332, 336, 340
Drafting, importance of, Sept. 272
Drafting practice simplified, May 110
Drafting room equipment, Feb. 204; Mar. 194
Drafting room supplies, Feb. 204
Drawing, July 267
new method for, June 264
pictorial, simplified, Mar. 128
Drawings, engineering, perspective, Jan. 106
Drill, electric hammer, Aug. 158
Drilling, Feb. 140; Oct. 418; Nov. 310
deep-hole, Aug. 178
Drive, drilling hoist, Sept. 176
dual power, July 121
Drives, adjustable-speed, Mar. 190; Apr. 316; May 202, 206; June 204; July 196; Aug. 124, 210, 224; Nov. 213; Dec. 289
adjustable speed, metal-to-metal friction type, Dec. 232
computer, design of, Jan. 156
constant speed, magnetic tape, Oct. 219
helicopter, Aug. 126
intermittent, Apr. 160
roller-gear, June 202
V-belt, helicopter, Apr. 180
Drums, hoisting, design of, Apr. 265
Dynamic loading of gears, Oct. 203
Dynamometers, Apr. 275

E

Electric analogies for hydraulic system analysis, Jan. 166; Feb. 131
Electric heaters, selection and application of, Dec. 142
Electric vibrator powers pneumatic pump, Dec. 172
Electric equipment (see specific type)
Electric power units, packaged, Aug. 163
Electroforming, design for, Sept. 124
Electronic assemblies use cellular construction, Sept. 123
Electronic circuits, modular design of, Nov. 126, 192, 194
Electronic components, Feb. 195; June 200, 202, 208; July 200; Aug. 189
Electronic paging system, July 106
Electroplating, Apr. 333
Elevators, loads monitored automatically, Sept. 121
operatorless, Sept. 110
Engineering department (see Management or Drafting)
Engineering drawings, perspective, Jan. 106
Engineering license laws, Nov. 137
Engines, Mar. 190; Apr. 288; May 190, 196; Aug. 216, 218; Oct. 264; Dec. 298
diesel has triangular cylinder arrangement, Oct. 212
diesel, use unified thread system, Dec. 230
jet, June 246
noise-eliminator for, Oct. 134
Expansion-forming, July 178
Extrusion, Nov. 186
of intricate shapes, May 184
of steel, Nov. 158
Extrusions, Apr. 346
plastics, Mar. 145
straightening, June 258

F

Facilities, general, Oct. 242; Dec. 310
Fan blades, Apr. 284
Fasteners, bearing nut, Aug. 124
  blind, Oct. 263
  bolts, high strength, Oct. 382
  bolts, nuts, screws, Jan. 182; Mar. 187, 188; Apr. 316; May 189; June 190; July 194, 198, 200, 204, 208; Aug. 212, 232; Oct. 268, 286; Nov. 212; Dec. 305
  insert, June 194; Oct. 286
  locking, July 208; Aug. 207; Sept. 212, 214; Dec. 305
  pin, Mar. 110, 180; June 200
  retaining rings, Mar. 172; May 194; June 206
  retaining rings, solve design problems, July 152
  rivet, May 189; Oct. 263
  spring-action, Sept. 158, 212, 228
  unified thread system, used in diesel engines, Dec. 230
  washers, Apr. 274
Fatigue life, improving by design, Jan. 171
Feeders, Jan. 190; Apr. 286; June 196
Felt, Aug. 214
Fiber ducts replace sheet metal, Sept. 131
Filters, Jan. 178, 194; Feb. 197; May 187; June 198; July 204; Aug. 210, 214; Nov. 226, 236; Dec. 254
Finishes, fire retardant, Oct. 132
  for aluminum, June 281
  plated, Dec. 138
Finishes, protective, May 237, 240; June 188; July 200; Aug. 200; Sept. 206; Nov. 190; Dec. 282, 300
  protective, testing, July 106
Finishing machine follows irregular contour, Nov. 157
Fits, tolerances and limits for, Aug. 116
Fittings, pipe, tube and hose, Jan. 186; Feb. 188, 193; Apr. 274, 278, 319; May 192, 204, 230; June 194, 200; July 195, 198; Aug. 206, 212, 222, 226; Oct. 270, 276, 284; Nov. 218, 223; Dec. 274, 275, 280
Flame-cutting, three dimensional, Oct. 227
Fluid couplings, May 202; Oct. 454
Fluid Power Association organized, July 186
Followers, flat faced, for disk cams, Aug. 170
Forging, Feb. 225, 230, 293; Nov. 188
  by press-extrusion, July 124
Forgings, large, design of, Oct. 334
Form rolling, Feb. 226
Forming, Oct. 240, 248, 414, 416
  contour, limitations of, Aug. 284
Friction materials, pressed-in, eliminate rivets, Sept. 120
Fuse, hydraulic, Apr. 320

G

Gages, pressure, etc. (see also instruments), Mar. 98; Apr. 275; Sept. 108; Oct. 273; Nov. 228; Dec. 266
  strain, Aug. 244
  strain, applying in design, Dec. 389
Gaging, X-ray, May 162
Gas turbines, Sept. 186
Gaskets, June 210; Aug. 218
  for severe service, Sept. 108
Gear ratios, logarithms of, Feb. 177; Mar. 173
Gear testing, torque loader for, Sept. 175
Gears, Jan. 156; Feb. 177; Aug. 191; Oct. 132
  adjustable backlash takeup, Oct. 199
  designing for instruments, May 120
  drive boom hoist, June 115
  dynamic loading of, Oct. 203
  evaluating lubrication of, June 304
  for helicopter drive, Aug. 126
  irregular, for inertia control, Dec. 193
  irregular, in shaker conveyors, July 154
  noncircular, application and design of, Dec. 185
  produce varying velocity, May 141
  right-angle helical, design of, July 145
  scoring of, Apr. 402
  shot-peening, Sept. 294
  worm, designing, July 248
  worm, for shockfree transmission, June 238
Generators, electric, Feb. 198, 220; June 210; Oct. 280, 426
Glass, Feb. 165
Glassfabric-plastics [illegible] Mar. 112
Glass fiber, Apr. 286; [illegible]
  used in heater ducts, Nov. 200
Glued joints, design of, Oct. 193
Governors, Apr. 276
  control limit switches, Dec. 430
Grinder, surface, has special bearing, Aug. 161
Grinding, Feb. 136; Apr. 341; June 102; Nov. 310
  turbine blades, June 136
Grommets, Jan. 180
Guided missiles, July 182
Guided missile test range, Sept. 196

H

Hack saw, machine, Nov. 160
Hammer drill, electric, Aug. 158
Heating and ventilating machines, Dec. 398, 400
Heat treating, Jan. 140; July 181
Heat treating machine, Dec. 408
Heat exchangers, July 200; Oct. 273; Dec. 136
Heaters, Mar. 100; May 244; Aug. 210; Oct. 278; Nov. 230; Dec. 276
  electric, selection and application of, Dec. 142
Heat-resistant alloys, July 106
Helicopter, drive for, Aug. 126
Helicopters for airplane pickup, May 236
Helicopter with four-bladed rotor, Aug. 200
High-strength steel, design factors for, Oct. 149
High-temperature alloys, selecting, Dec. 382
Honeycomb materials, for aircraft, Aug. 192
Hose, metallic, Apr. 338; Aug. 234; Sept. 216, 218, 222
  nonmetallic, Feb. 194; Mar. 180, 192; June 190; July 195; Aug. 224; Dec. 278
Human engineering, Sept. 110
Human factors, in design, Dec. 374
  in machine indexing, Nov. 143
Hydraulic analysis, electric analogies for, Jan. 166; Feb. 131
Hydraulic equipment, see specific type
Hydraulic equipment, design of, Dec. 350
Hydraulic fluid, non-inflammable, Oct. 244
Hydraulic servo, redesigned, Feb. 123
Hydraulic steering systems, Apr. 428

I

Induction heating, May 260
Inertia, control of, July 154
  determining moments of, May 181
  moments of, evaluating graphically, Aug. 185
Inspection, Sept. 246; Oct. 430; Dec. 136
Instrument dials, July 208
Instruments, Mar. 181; May 191, 198, 202; June 194; Oct. 262; Nov. 213, 218, 230, 246
  gear design for, May 120
  scales, design of, Nov. 264
  shaft-damping, June 242
  total flow rate, Nov. 146
Insulation, Apr. 354; Oct. 288; Nov. 212
  electrical, Aug. 196, 239
Interferometer, uses electron beam, Sept. 202

Irregular gears for inertia control, Dec. 193
Isotopes used in inspection, Sept. 194

J, K, L

Jet power unit drives boats, July 177
Knobs, Oct. 273
Latches, Apr. 277, 283
flush, Dec. 226
Lathes, automatic, Aug. 160
copying, June 135
Leather, Nov. 234
Licensing engineers, Nov. 137
Limits, simplified system of, Aug. 116
Linearizer, mechanical, May 175
Linkages, computing, Sept. 171
design of, July 137
design of a simplified approach to, Dec. 196
four-bar, design of, Apr. 233
graphical analysis of, June 177
used in shaker conveyor, July 154
Lubricants, Apr. 274; May 204, 206; June 198, 206; Sept. 218; Oct. 278
greases, properties of, May 129
molybdenum disulphide, July 284
solid, Nov. 272
synthetic, Jan. 174
synthetic, for high velocities, Nov. 284
Lubrication, air, of bearings, Apr. 272
Lubrication equipment, Jan. 178; Apr. 278; July 214, 220; Aug. 206; Nov. 214, 218
Lubrication, gear, evaluating, June 304
Lubrication system, steam drop-hammer, Apr. 158

M

Machine automatically counts and stacks, Nov. 171
Machine indexing, human factors in, Nov. 143
Machine, indexing, packaged, Nov. 147
Machine leveling with strain gages, June 117
Machine tools, Dec. 252
design of, June 186
Machine, ultrasonic, Dec. 260
Machinery exports reach new high, Sept. 204
Machines, special, Aug. 138
Magnesium and alloys, reduced production of, June 284
Magnets, Sept. 202; Dec. 138
Maintenance equipment, Sept. 313
Maintenance, low, design for, Feb. 114
Management, engineering, Jan. 106, 116, 150; Feb. 160; Mar. 128; Apr. 370; Sept. 113, 114, 192; Nov. 182, 194, 294; Dec. 136, 256, 262
responsibility to engineering, Aug. 302
steps to advancement, Sept. 272
Manifold, resists vibration, Sept. 200
Materials, behavior under thermal loads, Oct. 364
handling, Apr. 326; Sept. 314; Oct. 408, 410, 412; Nov. 302
Materials handling machines, Dec. 402
new, designing with, Oct. 314
properties of, Oct. 138; Nov. 161
selecting and specifying, Aug. 292
Mechanisms Conference, July 178; Nov. 186
Mechanisms, cams, disk, design of, Aug. 170
classification of, Dec. 174
determining acceleration in, Dec. 180
eccentric gear, May 141
first conference on, Sept. 188
first conference on, transactions of, Dec. 173
for connecting parallel shafts, May 153
maintain tension, May 233
produce non-linear rotation, May 175
starwheel, design of, Apr. 255
swashplate, Feb. 141
switching, controls liquid level, Dec. 160
Metals (see specific type)
Metalworking, Sept. 317; Oct. 414, 424
Metalworking machines, Dec. 402, 403, 406
Milling, Nov. 306, 308, 312
Milling machines, Dec. 402
Milling machine, cuts in both directions, May 140
controlled by tape recorder, Dec. 253
Molding Machine, Dec. 408
Moments of inertia, determining, May 181
evaluating graphically, Aug. 185
Motions, systematic correlation of, Dec. 215
Motors, electric:
adjustable-speed, Aug. 124
brakemotors, July 206; Aug. 209
design of, May 300
fractional and integral hp, Feb. 196, 200, 268; Apr. 276; May 194; June 206; July 210; Aug. 210, 214; Sept. 186, 213, 225; Nov. 212, 226, 234; Dec. 262, 274, 278, 282
fractional and integral hp, meet latest NEMA standards, Nov. 204
fractional and integral hp, rerated by NEMA, Sept. 184
frames for, Aug. 239
gearmotors, Jan. 192; Feb. 188, 193; Mar. 180, 183; June 188; July 206; Aug. 207; Oct. 266, 282
molded commutators, for, Oct. 202
power bull-dozer, June 281
simplify power transmission, Sept. 160
subfractional hp, Jan. 194; Mar. 185; Apr. 286; May 186, 189; June 188, 210; July 194; Sept. 225, 232; Oct. 270; Dec. 312, 320
subfractional, instantaneous reversal, Aug. 342
timing, Jan. 184; July 218; Aug. 229
wind-tunnel drive, Sept. 190
Motors, hydraulic, Jan. 182
for engine starting, Oct. 200
Motors, pneumatic, Apr. 364; Oct. 286
Mountings, Nov. 228
vibration and shock, June 208; July 196, 222; Aug. 206; Sept. 232; Oct. 456; Nov. 238
vibration and shock, for instruments, Dec. 428
Nameplates, Apr. 282; Dec. 286
Noise control, July 183
Nomographs, for evaluating moments of inertia, Aug. 185
for sleeve bearing design, Aug. 143
Noncircular gears, design and application of, Dec. 185
Nickel and alloys, Nov. 182
Nickel-cadmium batteries, Oct. 132

O, P

Office equipment, Nov. 312
Oscillograph records 14 channels, Sept. 138
Packings, Aug. 198; Sept. 216; Oct. 263, 264
floating, seal pneumatic valves, July 121
Patent law, Oct. 215
Patents, valid, Sept. 147
Personnel, engineering, recognition of, Aug. 302
Photocopy contest, Nov. 204
Photography, high speed, Nov. 282
Pictorial drawing, simplified, Mar. 128
Pilotlights, Dec. 300
Pipe, Sept. 214
plastic, Dec. 280
Pipe bender, Nov. 306
Piston rings, Sept. 348; Oct. 424
Plant equipment, Oct. 424; Nov. 315, 318; Dec. 406
Plastic hydraulic pump, Oct. 199
Plastic-metal laminate, Dec. 305
Plastics, Jan. 177, 186, 270; Apr. 282; May 137; June 102, 198; Aug. 200, 216; Sept. 212; Oct. 266, 280, 290; Nov. 220; Dec. 136, 252, 258
hard vinyl, Dec. 169
improve spinning units, June 114

in gear couplings, Aug. 123
reinforced, Mar. 142
sheet used in ducting, July 172
sintered nylon, July 181
storage tanks, Sept. 192
styling with, June 155
seal castings, Sept. 204
tape, for lettering, Aug. 122
teflon, application in design, July 274
teflon, change volume at room temperature, July 177
teflon, protect conveyed products, July 184
toughening, July 108
use increasing, Sept. 200
Plastics extrusions, Mar. 145
Plastics molding, May 253
Plastics-glass fabric laminates, Mar. 112
Plastics plugs, Sept. 232
Plugs, Apr. 283
plastic, Sept. 232
Pneumatic equipment (see specific type)
Pneumatic receivers, high-pressure, Apr. 237
Portable tools, Oct. 428
Potentiometers, Apr. 277, 284; May 200; July 224; Oct 273; Nov. 232
Powder metallurgy, Jan. 137; Apr. 328; Sept. 202
impregnant fills pores of parts, June 256
Power steering, Oct. 228
hydraulic, Apr. 428
mechanical, Apr. 183
Power units, packaged, Aug. 163
Press interlocked safety guards, Dec. 246
Press, hydraulic, May 150
Press produces building board, Sept. 132
Printed circuits, July 108
produced by photo etching, July 184
for electronic assemblies, Sept. 284
Processes, their effect on costs, July 112
Processing equipment, Sept. 327
Producibility, achieved by simplification, Nov. 112
Product design, June 108
Product development, Sept. 114
Properties of materials, Oct. 138; Nov. 161
Pulley-clutch combination automatically takes up wear Dec. 424
Pulleys, (see also sheaves) May 191; Sept. 230, 346
Pumps, Mar. 178, 186; Apr. 280, 282, 364; June 192, 198, 204; July 195, 202, 210; Oct. 270; Nov. 220, 223
all plastic, Oct. 199
for viscous fluids and high pressures, July 149
use no seals, July 135
centrifugal, June 183
electromagnetic, Mar. 178
electro magnetic, for molten metal, Dec. 138
filter, Apr. 275
high-pressure, design of, Feb. 185
hydraulic, Feb. 194; Apr. 319; May 190, 192; July 204, 206, 214; Aug. 208, 220, 222, 342, 346; Sept. 213, 344
hydraulic, control system for, Dec. 221
hydraulic, variable piston displacement, Dec. 159
pneumatic, Jan. 178; Apr. 288; Aug. 344; Sept. 225, 344
pneumatic, vibrator powered, Dec. 172
positive displacement, clearance design in, Feb. 127

Q, R

Quality control, Jan. 150; Feb. 160; Mar. 165; May 176
Reactor, nuclear, Nov. 200
Recorders, Oct. 405
"stretch" data, July 106
use aluminum tape, Nov. 156
Rectifiers, Mar. 182; May 188; June 188
Reducers, speed, Feb. 198; May 200; July 202, 208, 220; Sept. 214, 218, 222; Oct. 268
cooled by convection tubes, Dec. 160
Regulators, pneumatic, Apr. 320
pressure, Aug. 236; Sept. 212
temperature, Nov. 226
Relays, Jan. 184; Feb. 190; Mar. 183, 187; Apr. 275, 277, 283; May 206; June 200, 202, 210; July 196, 200; Sept. 212, 213, 214, 222; Oct. 262, 270, 280; Nov. 217, 226; Dec. 302, 308
magnetic, in control systems, Apr. 154
Research and development, Jan. 171, 196, 264, 276; Feb. 154, 191, 204, 206, 234, 238, 283; Mar. 123, 149, 194, 196; Apr. 290, 292, 294, 324, 325, 348, 358; May 187, 208, 210; June 212, 214; July 228, 230, 232, 236, 238, 241; Aug. 242, 244; Sept. 138, 235, 240, 242, 246, 250, 252; Oct. 293, 294, 297, 300, 302, 304; Nov. 184, 190, 198, 236, 240, 244, 246; Dec. 136, 326, 328, 330, 332, 334, 338
source of neutrons for, July 179
Rheostats, Feb. 190, 192; Mar. 182, 185; May 188, 196; June 204
Resistors, Feb. 195; Mar. 110
Rubber, Feb. 246; Mar. 98; Apr. 279; May 248; Dec. 284, 320
high temperature in heater ducts, Nov. 200
Rubber molding, July 224

S

Safety, design for, Aug. 142
Saw, cut-off, Dec. 223
Screws, ball, power, Aug. 226
design and application of, Nov. 128
dual drive, July 308
for reciprocating motion, May 233
Sealers, as engineering materials, Oct. 158
Sealing shafts at high temperature and pressure, Mar. 170
Seals, Jan. 177; Apr. 280; May 204; Aug. 222; Sept. 230; Dec. 275, 324
design for reliability, Sept. 266
diaphragm, for high pressures, June 238
for journal bearings, July 308
mechanical, Feb. 222; June 198, 210; July 202; Sept. 228; Oct. 456; Nov. 223; Dec. 426
Selsyns synchronize 3-D projectors, June 244
Servo, hydraulic, design, Feb. 123
Servomechanisms, nonlinear, analyzing, Aug. 139
Servo-systems, Nov. 223
Shaft and hole tolerances, Jan. 116
Shafts, finding torsional deflection, Nov. 179
flexible, adapter, Dec. 275
fluid ejection of, Sept. 122
sealing at elevated temperatures and pressures, Mar. 170
Shapes, continuous-cast, June 129
Shearing, July 178; Oct. 418
Shell molding machine has simplified controls, Dec. 247
Shock absorbers, Oct. 450
Simplicity, key to producibility, Nov. 112
Solenoids, Aug. 209; Oct. 278; Dec. 322
Space Flight, May 284
Spinning, July 267
Spring materials, May 186
Springs, Mar. 109; Oct. 270
constant force, meter cable, Apr. 184
design of, Sept. 134; Oct. 222
hydraulic, Dec. 292
largest constant force, July 188

mounting, flat plate, Nov. 127
torsion, designing, Nov. 172
Sprockets, Jan. 188; Mar. 185; June 202; July 204, 216; Aug. 216
Spotwelding, design for, Feb. 157
Stamping, Jan. 163; Feb. 188, 191; Nov. 234, 304, 312
Stamping press for automobile frames, July 184
Stampings, joining, Jan. 163
Standardization of aircraft components, Dec. 378
Starters, motor, May 191, 192, 198; Aug. 207, 224; Sept. 228; Oct. 268
portable for jet engine, Sept. 198
Static balancing, Oct. 229
Steel, Feb. 245; June 208; July 183; Oct. 234
chromium replaces nickel-bearing, June 118
high-strength, design factors for, Oct. 149
stainless, Feb. 305; July 218; Aug. 206; Oct. 236
stainless, improved by rare-earth additions, Sept. 196
Strain gages, applying in design, Dec. 389
Stress analysis of rotating parts, July 128
Struts, tubular, design for maximum strength, Aug. 133
Styling of water coolers, Aug. 159
Styling with plastics, June 155
Switches, Jan. 182; Feb. 192, 194, 195, 196; Mar. 183, 186; Apr. 276, 282, 288; June 190, 192, 194, 204, 208; July 194, 202, 208; Aug. 208, 214, 216, 234; Sept. 213, 216, 220, 225, 228; Oct. 262, 264, 266, 276, 282; Nov. 223; Dec. 276, 278, 286, 294, 300
commutating, Nov. 214
Switches, governor controlled, Dec. 430
use nylon parts, June 117
Switches control liquid level, Dec. 160
Swivel joints, June 196
Systems, hydraulic, Oct. 426
hydraulic, electric analogies for, Jan. 166; Feb. 131

T

Tachometers, Oct. 297
Tantalum, Dec. 250
Tape, stamped, for lettering, Aug. 122
Teletypewriter, redesigned, Nov. 176
Terminals, Apr. 284; May 196, 202; Aug. 214; Oct. 276, 288
Testing, Sept. 250; Oct. 246, 248, 252, 430, 432; Nov. 184, 188, 198; Dec. 136, 260, 264
acceleration, Sept. 206
acceleration, centrifuge for, Aug. 182
aircraft structures, Sept. 184
using pressure vessel, Sept. 190
Testing machines, Dec. 410
Test range, guided missile, Sept. 196
Thermostats, Jan. 184, 190; Mar. 182, 184; Apr. 242; May 200; July 224; Aug. 218; Sept. 213; Oct. 264, 286; Dec. 289
Threading, Oct. 416
Timers, Apr. 278, 280, 283, 292, 294; May 186; June 196; Aug. 246; Oct. 278; Nov. 217, 220, 234, 240; Dec. 282
Tires, low pressure, May 237
Titanium, Oct. 252, 254
cast, shapes, Oct. 132
resists corrosion, June 298
resists galvanic corrosion, July 188
Titanium research lab., Sept. 192
Toggle mechanism for indexing, May 136
Tolerance assignment, Sept. 139
Tolerances, hole and shaft, Jan. 116
simplified system of, Aug. 116
Tools, pneumatic, use interchangeable units, Dec. 224
Torque converters, Jan. 178; Apr. 159; Sept. 222; Oct. 454
Torsional deflection, finding, Nov. 179
Torsional locking eliminates set-screws, July 120
Torsion springs, designing, Nov. 172
Trainer, flight, Aug. 194
Transformer, Feb. 202; Nov. 228
Transmissions, helicopters, Aug. 126
helicopter, uses v-belts, Apr. 180
variable-speed, Apr. 278; May 187, 188
Tubing, Feb. 155, 200; May 186; Oct. 278, 284; Nov. 204
high-strength, design for, Aug. 133
nickel used in transducer, July 179
spiral, for high pressure, Aug. 125
telescoping, Feb. 155
Tubing expander, Nov. 306
Tungsten, Apr. 274
Turbine blade grinder uses abrasive belts, June 136
Turbine with variable area nozzles, Oct. 198
Turbines, gas, Dec. 250, 251
Turning, May 260; Oct. 414, 416; Nov. 308, 310

U, V

Universal joints, Feb. 189; Nov. 332
constant velocity, design of, Apr. 162
Valves, May 191, 198, 200, 204; June 192, 196, 202, 208; July 186; Aug. 229; Sept. 232; Oct. 266, 452; Nov. 217, 218, 220, 228, 230, 332; Dec. 274, 276, 278, 280, 284, 315
performance analysis, Sept. 196
Valves, sealed by carbon disk, Dec. 162
electromagnetic, Apr. 314
hydraulic, Jan. 115, 188, 190, 194; Mar. 181, 187; Apr. 277; May 189, 190, 194, 206, 230; June 190; July 198, 212; Aug. 210, 212, 214, 218, 222, 344; Sept. 214, 220, 225, 230, 348; Oct. 263, 276, 454; Nov. 214, 238; Dec. 282, 286, 428
hydraulic, for automatic pressure control, June 240
hydraulic, design for reliability, Sept. 266
needle, May 234
pneumatic, Jan. 180, 190; Apr. 286; May 196, 230; June 188, 190, 200; July 202, 204, 214, 219; Aug. 208, 212, 222; Sept. 222, 225; Oct. 268, 273, 276; Nov. 213, 214; Dec. 275, 310
pneumatic, controlled by wobble-rod, Nov. 125
pneumatic, controls tape dispenser, July 136
Vents, for low temperature units, Aug. 232
oil breather, Aug. 207
Vibration analysis, plastic models for, May 125
Vibration, beam, analysis of, June 123
Vibrating system analysis, May 169
Vibration damper, viscous, Dec. 430
Vibrator, powered by loudspeaker, June 260
Vibrators, May 238
for electron tubes, Aug. 157
use revolving weights, June 157
Viscosity, new standard for, Aug. 194
Vitreous coatings, designer's guide to, Jan. 141; Feb. 166

W, Z

Water coolers, styling, Aug. 159
Wear analysis, Nov. 266
Webs, control of moving, Sept. 151
Welding, Jan. 114; Sept. 110; Nov. 202, 308; Dec. 252, 262
spot, design for, Feb. 157
Welder, spot, portable, July 106
Wheels, Aug. 220
Wire and wire products, Nov. 238
Wiring, machine, Apr. 160
Zirconium, Apr. 324; May 250